



SPECIFICATIONS



Range specifications:



Tyre Size (Recommended)	Xbrite Part No.	Wheel Size (W x D)	Stud (qty)	Stud Hole Size (mm)	Centre Bore (mm)	Pitch Circle Diameter (PCD) (mm)	Inset (mm)	HDS (offset) (mm)	Weight (kg)	Max Load (kg)	Dual Mount	Hump	Wheel Valve
235,245 75 17.5	CVAA340XB+	6.75 X 17.5	6	21	202	245	122	143	14.3	2500	YES	YES	70MS 07
235,245 75 17.5	CVAA339XB+	6.75 X 17.5	6	24	202	245	122	143	14.3	2500	YES	YES	70MS 07
235,245 75 17.5	CVAA284XB+	6.75 X 17.5	6	26	202	245	122	143	14.2	2500	YES	YES	70MS 07
235,245 75 17.5	CVAA067XB+	6.75 X 17.5	8	24	221	275	118	141	13.3	2725	YES	NO	TR543
235,245 75 17.5	CVAA262XB+	6.75 X 17.5	8	30	221	275	118	141	13.1	2725	YES	NO	TR543
235,245 75 17.5	CVAA274XB+	6.75 X 17.5	10	26	176	225	121	141	14.4	3000	YES	YES	70MS 07
235,245 75 17.5	CVAA344XB+	6.75 X 17.5	10	32	176	225	121	141	14.2	3000	YES	YES	70MS 07
245,265 70 19.5	CVAA300XB+	7.50 X 19.5	8	26	221	275	135	155	18.2	3040	YES	YES	1670
245,265 70 19.5	CVAA301XB+	7.50 X 19.5	8	30	221	275	135	155	18.2	3040	YES	YES	1670
245,265 70 19.5	CVAA302XB+	7.50 X 19.5	8	32	221	275	135	155	18.2	3040	YES	YES	1670
255,275 70,80 22.5	CVAA203XB+	7.50 X 22.5	10	26	281	335	140	162	24.4	3550	YES	YES	70MS 07
255,275 70,80 22.5	CVAA288XB+	7.50 X 22.5	10	32	281	335	140	162	23.3	3550	YES	YES	70MS 07
295 60,80 22.5	CVAA121XB+	8.25 X 22.5	10	26	281	335	145	167	23.7	3650	YES	YES	70MS 07
295 60,80 22.5	CVAA122XB+	8.25 X 22.5	10	32	281	335	145	167	23.5	3650	YES	YES	70MS 07
315 60,70,80 22.5	CVAA046XB+	9.00 X 22.5	10	26	281	335	152	175	25.8	4125	YES	YES	70MS 07
315 60,70,80 22.5	CVAA047XB+	9.00 X 22.5	10	32	281	335	152	175	25.6	4125	YES	YES	70MS 07
385 55,65 22.5	CVAA003XB+5	11.75 X 22.5	10	26	281	335	0	0	24.4	5000	NO	NO	TR542
385 55,65 22.5	CVAA019XB+5	11.75 X 22.5	10	32	281	335	0	0	24.2	5000	NO	NO	TR542
385 55,65 22.5	CVAA040XB+5	11.75 X 22.5	10	26	281	335	120	0	26.3	5000	NO	YES	TR542
385 55,65 22.5	CVAA041XB+5	11.75 X 22.5	10	32	281	335	120	0	26.1	5000	NO	YES	TR542
385 55,65 22.5	CVAA059XB+	11.75 X 22.5	10	26	281	335	135	0	28.9	4500	NO	YES	TR542
385 55,65 22.5	CVAA060XB+	11.75 X 22.5	10	32	281	335	135	0	28.7	4500	NO	YES	TR542
385 55,65 22.5	CVAA324XB+	11.75 X 22.5	10	26	281	335	45	0	24.5	5000	NO	NO	TR542
385 55,65 22.5	CVAA350XB+	11.75 X 22.5	10	32	281	335	45	0	24.5	5000	NO	NO	TR542

The actual wheel weight may differ by 300gms to 500gms due to manufacturing tolerances. Information was correct at the time of going to print, however, we advise that you please check with us before mounting your Xbrite+ wheels. Errors and omissions excluded.



About The Wheel Hub

Because we've got over 40 years experience in the UK and European wheel markets, The Wheel Hub is perfectly placed to make everything as easy as possible. We are a single point of supply for all your commercial wheel needs, with the technical know-how to find the right solution - whatever issues you throw at us!

We're friendly, responsive and expert.
Welcome to a better way to buy your CV wheels.

The Wheel Hub Ltd

50 Leestone Road
Sharston Industrial Estate
Manchester M22 4RF

+44 (0) 161 908 1023
sales@thewheelhub.co.uk

WWW.THEWHEELHUB.CO.UK

